



Author index

Volume 299 (2000)

Abbritti, G., see Tassi, C. 299, 55
Adachi, M., see Hirano, T. 299, 65
Ahmed, S., see Mantle, D. 299, 1
Alberti, L., see Seghieri, G. 299, 109
Alling, C., see Varga, A. 299, 141
Amant, C., see Boullier, A. 299, 129
Amino, N., see Fujita, A. 299, 179
Amouyel, P., see Boullier, A. 299, 129
Anichini, R., see Seghieri, G. 299, 109
Araake, H., see Sugawara, K. 299, 45
Assmann, G., see Lorkowski, S. 299, 199
Avilov, V.V., see Nikulina, V.A. 299, 25

Bernardi, D., see Plebani, M. 299, 77
Bertrand, M., see Boullier, A. 299, 129
Boullier, A., Walters-Laporte, E., Hamon, M., Tailleux, A., Amant, C., Amouyel, P., Fruchart, J.-C., Bertrand, M., Duriez, P., Absence of relationship between plasma Lp(a), Lp-AL, anti-oxidized LDL autoantibodies, LDL immune complexes concentrations and restenosis after percutaneous transluminal coronary angioplasty 299, 129
Busis, S.N., see Kelly, R.H. 299, 205
Bustos, P., Ulloa, N., Calvo, C., Muller, D., Durán, D., Martínez, J., Salazar, L., Quiroga, A., Monoclonal antibodies to human apolipoproteins: application to the study of high density lipoprotein subpopulations 299, 151

Calvo, C., see Bustos, P. 299, 151
Cullen, P., see Lorkowski, S. 299, 199

De Giorgio, L.A., see Seghieri, G. 299, 109
Di Simplicio, P., see Seghieri, G. 299, 109
Dmitriev, A.D., see Nikulina, V.A. 299, 25
Durán, D., see Bustos, P. 299, 151

Duriez, P., see Boullier, A. 299, 129
Ellinghaus, P., see Lorkowski, S. 299, 199

Feligioni, L., see Tassi, C. 299, 55
Franconi, F., see Seghieri, G. 299, 109
Fruchart, J.-C., see Boullier, A. 299, 129
Fujio, S., see Shimasaki, A.K. 299, 119
Fujita, A., Kuroda, S., Tada, H., Hidaka, Y., Kimura, M., Takeoka, K., Nagata, S., Sato, H., Amino, N., Enzyme-linked immunosorbent assay for anti-tropomyosin antibodies and its clinical application to various heart diseases 299, 179
Fujita, K., see Shimasaki, A.K. 299, 119
Fujitaka, M., Nomura, S., Sakura, N., Ueda, K., Matuura, R., Yumiba, C., Morning and afternoon serum levels of cortisone and cortisol in asthmatic patients 299, 101
Funato, T., see Miura, T. 299, 87
Furuya, D., see Sugawara, K. 299, 45

Galinski, E.A., see Lorkowski, S. 299, 199
Gomi, K., see Kimura, S. 299, 169
Guillot, M., see Monier, F. 299, 11

Hamon, M., see Boullier, A. 299, 129
Hansson, P., see Varga, A. 299, 141
Hidaka, Y., see Fujita, A. 299, 179
Hirabayashi, T., see Mitsui, T. 299, 193
Hirano, T., Ookubo, K., Kashiwazaki, K., Tajima, H., Yoshino, G., Adachi, M., Vascular endothelial markers, von willebrand factor and thrombomodulin index, are specifically elevated in type 2 diabetic patients with nephropathy: comparison of primary renal disease 299, 65
Hosoda, K., see Sugawara, K. 299, 45

Johnson, G., see Varga, A. 299, 141

Kaizu, T., see Kimura, S. 299, 169

Kaku, M., see Miura, T. 299, 87

Kamimura, T., see Sugawara, K. 299, 45

Kashiwazaki, K., see Hirano, T. 299, 65

Kelly, C.M., see Kelly, R.H. 299, 205

Kelly, R.H., Kelly, C.M., Busic, S.N., Factitious hearing loss and otitis media in an adolescent boy 299, 205

Kim, D., see Kimura, S. 299, 169

Kimura, M., see Fujita, A. 299, 179

Kimura, S., Numaguchi, M., Kaizu, T., Kim, D., Takagi, Y., Gomi, K., High galactosylation of oligosaccharides in umbilical cord blood IgG, and its relationship to placental function 299, 169

Kizim, E.A., see Nikulina, V.A. 299, 25

Kobayashi, D., see Sugawara, K. 299, 45

Kolyaskina, G.I., see Nikulina, V.A. 299, 25

Kondo, T., see Mitsui, T. 299, 193

Kuroda, S., see Fujita, A. 299, 179

Lorkowski, S., Ellinghaus, P., Galinski, E.A., Assmann, G., Cullen, P., Use of longer extension phases to improve yield of high molecular weight products in differential display PCR 299, 199

MacNee, W., see Mantle, D. 299, 1

Mancuso, F., see Tassi, C. 299, 55

Mantle, D., Patel, V.B., Why, H.J.F., Ahmed, S., Rahman, I., MacNee, W., Wassif, W.S., Richardson, P.J., Preedy, V.R., Effects of lisinopril and amlodipine on antioxidant status in experimental hypertension 299, 1

Martínez, J., see Bustos, P. 299, 151

Massino, Y.S., see Nikulina, V.A. 299, 25

Matura, R., see Fujitaka, M. 299, 101

Meneghetti, M.F., see Plebani, M. 299, 77

Mitsui, T., Naitoh, K., Tsuda, T., Hirabayashi, T., Kondo, T., Is endogenous isoprene the only coeluting compound in the measurement of breath pentane? 299, 193

Miura, T., Funato, T., Yabuki, S., Sasaki, T., Kaku, M., Detection of monoclonal proteins by capillary electrophoresis using a zwitterion in the running buffer 299, 87

Monier, F., Surla, A., Guillot, M., Morel, F., Gelatinase isoforms in urine from bladder cancer patients 299, 11

Morel, F., see Monier, F. 299, 11

Morucci, P., see Tassi, C. 299, 55

Muller, D., see Bustos, P. 299, 151

Muzi, G., see Tassi, C. 299, 55

Nagata, S., see Fujita, A. 299, 179

Naitoh, K., see Mitsui, T. 299, 193

Nikulina, V.A., Kizim, E.A., Massino, Y.S., Segal, O.L., Smirnova, M.B., Avilov, V.V., Saprin, D.B., Smotrov, S.P., Tichchenko, V.A., Kolyaskina, G.I., Dmitriev, A.D., Synergistic effects in antigen capture ELISA using three monoclonal antibodies directed at different epitopes of the same antigen 299, 25

Nomura, S., see Fujitaka, M. 299, 101

Numaguchi, M., see Kimura, S. 299, 169

Ookubo, K., see Hirano, T. 299, 65

Patel, V.B., see Mantle, D. 299, 1

Plebani, M., Bernardi, D., Meneghetti, M.F., Ujka, F., Zaninotto, M., Biological variability in assessing the clinical value of biochemical markers of bone turnover 299, 77

Preedy, V.R., see Mantle, D. 299, 1

Quiroga, A., see Bustos, P. 299, 151

Rahman, I., see Mantle, D. 299, 1

Richardson, P.J., see Mantle, D. 299, 1

Saito, K., see Sugawara, K. 299, 45

Sakura, N., see Fujitaka, M. 299, 101

Sakurabayashi, I., see Shimasaki, A.K. 299, 119

Salazar, L., see Bustos, P. 299, 151

Saprin, D.B., see Nikulina, V.A. 299, 25

Sasaki, T., see Miura, T. 299, 87

Sato, H., see Fujita, A. 299, 179

Segal, O.L., see Nikulina, V.A. 299, 25

Seghieri, G., Di Simplicio, P., De Giorgio, L.A., Anichini, R., Alberti, L., Franconi, F., Relationship between metabolic glycaemic control and platelet content of glutathione and its related enzymes, in insulin-dependent diabetes mellitus 299, 109

Shimasaki, A.K., Fujita, K., Fujio, S., Sakurabayashi, I., Pseudoleukocytosis without pseudothrombocytopenia induced by the interaction of EDTA and IgG₂-κ M-protein 299, 119

Smirnova, M.B., see Nikulina, V.A. 299, 25

Smotrov, S.P., see Nikulina, V.A. 299, 25

Sugawara, K., Kobayashi, D., Saito, K., Furuya, D., Araake, H., Yagihashi, A., Yajima, T., Hosoda, K., Kamimura, T., Watanabe, N., A highly sensitive immuno-polymerase chain reaction assay for human angiotensinogen using the identical first and second polyclonal antibodies 299, 45

Surla, A., see Monier, F. 299, 11

Tada, H., see Fujita, A. 299, 179
Tailleux, A., see Boullier, A. 299, 129
Tajima, H., see Hirano, T. 299, 65
Takagi, Y., see Kimura, S. 299, 169
Takeoka, K., see Fujita, A. 299, 179
Tassi, C., Abbrizzi, G., Mancuso, F., Morucci, P., Feligioni, L., Muzi, G., Activity and isoenzyme profile of *N*-acetyl- β -D-glucosaminidase in urine from workers exposed to cadmium 299, 55
Tichtchenko, V.A., see Nikulina, V.A. 299, 25
Tsuda, T., see Mitsui, T. 299, 193
Ueda, K., see Fujitaka, M. 299, 101
Ujka, F., see Plebani, M. 299, 77
Ulloa, N., see Bustos, P. 299, 151
Varga, A., Hansson, P., Johnson, G., Alling, C.,
Walters-Laporte, E., see Boullier, A. 299, 129
Wassif, W.S., see Mantle, D. 299, 1
Watanabe, N., see Sugawara, K. 299, 45
Why, H.J.F., see Mantle, D. 299, 1
Yabuki, S., see Miura, T. 299, 87
Yagihashi, A., see Sugawara, K. 299, 45
Yajima, T., see Sugawara, K. 299, 45
Yoshino, G., see Hirano, T. 299, 65
Yumiba, C., see Fujitaka, M. 299, 101
Zaninotto, M., see Plebani, M. 299, 77





ELSEVIER

Clinica Chimica Acta 299 (2000) 217-219



www.elsevier.com/locate/clinchim

Subject index

Volume 299 (2000)

N-Acetyl-β-D-glucosaminidase: Cadmium; Urine; Isoenzyme **299**, 55

Ambient air; Breath; Pentane; Isopentane; Isoprene **299**, 193

Amlodipine: Free radicals; Antioxidants; Hypertension; Lisinopril **299**, 1

Angioplasty: LDL; HDL; Lp(a); LpAI; Antioxidized-LDL autoantibodies; LDL immune complexes; Stenosis **299**, 129

Angiotensinogen: Enzyme-linked immunosorbent assay; Polymerase chain reaction **299**, 45

Annealing temperature: Differential display PCR; Extension time **299**, 199

Anti-heart antibody: Anti-tropomyosin antibody; Anti-myosin antibody; Heart disease **299**, 179

Anti-tropomyosin antibody, Anti-myosin antibody, Heart disease: Anti-heart antibody **299**, 179

Antigen capture ELISA: Three-site; Monoclonal antibodies; Synergistic effect; Human myoglobin **299**, 25

Antioxidants: Free radicals; Hypertension; Lisinopril; Amlodipine **299**, 1

Antioxidized-LDL autoantibodies: LDL; HDL; Lp(a); LpAI; LDL immune complexes; Angioplasty; Stenosis **299**, 129

Asthma: Cortisol; Cortisone; Diurnal change **299**, 101

Biological variability: Urinary bone markers; Critical differences; Index of individuality **299**, 77

Bladder cancer: Gelatinase; Neutrophil gelatinase-Associated lipocalin (NGAL); Preparative electrophoresis **299**, 11

Blood: Phosphatidylethanol; Compartment; Normalization; Half-life; Chronic alcoholics **299**, 141

Breath: Ambient air; Pentane; Isopentane; Isoprene **299**, 193

Cadmium: Urine; *N*-Acetyl-β-D-glucosaminidase; Isoenzyme **299**, 55

Capillary zone electrophoresis: Monoclonal protein; Zwitterion **299**, 87

Carbohydrate: Cord blood; IgG; Galactosylation; Placental function **299**, 169

Chronic alcoholics: Phosphatidylethanol; Compartment; Normalization; Half-life; Blood **299**, 141

Compartment: Phosphatidylethanol; Normalization; Half-life; Blood; Chronic alcoholics **299**, 141

Cord blood: IgG; Carbohydrate; Galactosylation; Placental function **299**, 169

Cortisol: Asthma; Cortisone; Diurnal change **299**, 101

Cortisone: Asthma; Cortisol; Diurnal change **299**, 101

Critical differences: Biological variability; Urinary bone markers; Index of individuality **299**, 77

Diabetic microangiopathy: Insulin-dependent diabetes mellitus; Metabolic control; Platelet glutathione; Glutathione related enzymes **299**, 109

Diabetic nephropathy: Vascular endothelial damage; Primary renal disease; Von Willebrand factor; Thrombomodulin index **299**, 65

Differential display PCR: Extension time; Annealing temperature **299**, 199

Diurnal change: Asthma; Cortisol; Cortisone **299**, 101

EDTA: IgG₂; M-protein; Pseudoleukocytosis **299**, 119

Enzyme-linked immunosorbent assay: Angiotensinogen; Polymerase chain reaction **299**, 45

Extension time: Differential display PCR; Annealing temperature **299**, 199

Free radicals: Antioxidants; Hypertension; Lisinopril; Amlodipine **299**, 1

Galactosylation: Cord blood; IgG; Carbohydrate; Placental function **299**, 169

Gelatinase: Neutrophil gelatinase-Associated lipocalin (NGAL); Bladder cancer; Preparative electrophoresis **299**, 11

Glutathione related enzymes: Insulin-dependent diabetes mellitus; Metabolic control; Platelet glutathione; Diabetic microangiopathy **299**, 109

HDL: LDL; Lp(a); LpAI; Antioxidized-LDL autoantibodies; LDL immune complexes; Angioplasty; Stenosis **299**, 129

Half-life: Phosphatidylethanol; Compartment; Normalization; Blood; Chronic alcoholics **299**, 141

High density lipoproteins: Monoclonal antibodies; Lipoparticles LpA-I; Lipoparticles LpA-I:A-II; Quantification **299**, 151

Human myoglobin: Antigen capture ELISA; Three-site; Monoclonal antibodies; Synergistic effect **299**, 25

Hypertension: Free radicals; Antioxidants; Lisinopril; Amlodipine **299**, 1

IgG: Cord blood; Carbohydrate; Galactosylation; Placental function **299**, 169

IgG₂: M-protein; EDTA; Pseudoleukocytosis **299**, 119

Index of individuality: Biological variability; Urinary bone markers; Critical differences **299**, 77

Insulin-dependent diabetes mellitus: Metabolic control; Platelet glutathione; Glutathione related enzymes; Diabetic microangiopathy **299**, 109

Isoenzyme: Cadmium; Urine; N-Acetyl- β -D-glucosaminidase **299**, 55

Isopentane: Breath; Ambient air; Pentane; Isoprene **299**, 193

Isoprene: Breath; Ambient air; Pentane; Isopentane **299**, 193

LDL immune complexes: LDL; HDL; Lp(a); LpAI; Antioxidized-LDL autoantibodies; Angioplasty; Stenosis **299**, 129

LDL: HDL; Lp(a); LpAI; Antioxidized-LDL autoantibodies; LDL immune complexes; Angioplasty; Stenosis **299**, 129

Lipoparticles LpA-I:A-II: High density lipoproteins; Monoclonal antibodies; Lipoparticles LpA-I; Quantification **299**, 151

Lipoparticles LpA-I: High density lipoproteins; Monoclonal antibodies; Lipoparticles LpA-I:A-II; Quantification **299**, 151

Lisinopril: Free radicals; Antioxidants; Hypertension; Amlodipine **299**, 1

Lp(a): LDL; HDL; LpAI; Antioxidized-LDL autoantibodies; LDL immune complexes; Angioplasty; Stenosis **299**, 129

LpAI: LDL; HDL; Lp(a); Antioxidized-LDL autoantibodies; LDL immune complexes; Angioplasty; Stenosis **299**, 129

M-protein: IgG₂; EDTA; Pseudoleukocytosis **299**, 119

Metabolic control: Insulin-dependent diabetes mellitus; Platelet glutathione; Glutathione related enzymes; Diabetic microangiopathy **299**, 109

Monoclonal antibodies: Antigen capture ELISA; Three-site; Synergistic effect; Human myoglobin **299**, 25

Monoclonal antibodies: High density lipoproteins; Lipoparticles LpA-I; Lipoparticles LpA-I:A-II; Quantification **299**, 151

Monoclonal protein: Capillary zone electrophoresis; Zwitterion **299**, 87

Neutrophil gelatinase-Associated lipocalin (NGAL): Gelatinase; Bladder cancer; Preparative electrophoresis **299**, 11

Normalization: Phosphatidylethanol; Compartment; Half-life; Blood; Chronic alcoholics **299**, 141

Pentane: Breath; Ambient air; Isopentane; Isoprene **299**, 193

Phosphatidylethanol: Compartment; Normalization; Half-life; Blood; Chronic alcoholics **299**, 141

Placental function: Cord blood; IgG; Carbohydrate; Galactosylation **299**, 169

Platelet glutathione: Insulin-dependent diabetes mellitus; Metabolic control; Glutathione related enzymes; Diabetic microangiopathy **299**, 109

Polymerase chain reaction: Angiotensinogen; Enzyme-linked immunosorbent assay **299**, 45

Preparative electrophoresis: Gelatinase; Neutrophil gelatinase-Associated lipocalin (NGAL); Bladder cancer **299**, 11

Primary renal disease: Vascular endothelial damage; Diabetic nephropathy; Von Willebrand factor; Thrombomodulin index **299**, 65

Pseudoleukocytosis: IgG₂; M-protein; EDTA **299**, 119

Quantification: High density lipoproteins; Monoclonal antibodies; Lipoparticles LpA-I; Lipoparticles LpA-I:A-II **299**, 151

Salivary transferrin: Transferrin isoforms; β_2 Transferrin **299**, 205

Stenosis: LDL; HDL; Lp(a); LpAI; Antioxidized-LDL autoantibodies; LDL immune complexes; Angioplasty **299**, 129

Synergistic effect: Antigen capture ELISA; Three-site; Monoclonal antibodies; Human myoglobin **299**, 25

Three-site: Antigen capture ELISA; Monoclonal antibodies; Synergistic effect; Human myoglobin **299**, 25

Thrombomodulin index: Vascular endothelial damage; Diabetic nephropathy; Primary renal disease; Von Willebrand factor **299**, 65

β_2 Transferrin: Transferrin isoforms; Salivary transferrin **299**, 205

Transferrin isoforms: β_2 Transferrin; Salivary transferrin **299**, 205

Urinary bone markers: Biological variability; Critical differences; Index of individuality **299**, 77

Urine: Cadmium; *N*-Acetyl- β -D-glucosaminidase; Isoenzyme **299**, 55

Vascular endothelial damage: Diabetic nephropathy; Primary renal disease; Von Willebrand factor; Thrombomodulin index **299**, 65

Von Willebrand factor: Vascular endothelial damage; Diabetic nephropathy; Primary renal disease; Thrombomodulin index **299**, 65

Zwitterion: Capillary zone electrophoresis; Monoclonal protein **299**, 87



